

MOTIVE TE35-GEL

| MODEL | TE35-Gel |
|----------|---|
| VOLTAGE | 6 |
| CAPACITY | 210Ah @ 20Hr |
| MATERIAL | Polypropylene |
| BATTERY | VRLA GEL / Non-Spillable / Maintenance-Free |
| COLOR | Maroon (case) Grey (cover) |
| WATERING | No Watering Required |



6 VOLT

PHYSICAL SPECIFICATIONS

| BCI | MODEL NAME | TERMINAL TYPE E | DIMENSIONS ^c INCHES (mm) | | | WEIGHT F LBS. (kg) | INSTALLATION ORIENTATION |
|--------------|------------|-----------------|-------------------------------------|-------------|----------------------------|--------------------|--------------------------|
| | | | LENGTH | WIDTH | HEIGHT ^D | | Horizontal |
| DIN TE35-GEL | 8 9 | 9.64 (245) | 7.51 (191) | 10.65 (271) | 69 (31) | and Vertical | |

ELECTRICAL SPECIFICATIONS

| VOLTAGE | CAPACITY ^A MINUTES | CAPACITY ^B AMP-HOURS (Ah) | | | ENERGY (kWh) | INTERNAL RESISTANCE (m Ω) | SHORT CIRCUIT CURRENT (amps) | |
|---------|-------------------------------|--------------------------------------|-------|-------|--------------|-----------------------------------|------------------------------|---|
| G | @ 25 Amps | 5-Hr | 10-Hr | 20-Hr | 100-Hr | 100-Hr | | |
| 0 | 479 | 180 | 193 | 210 | 220 | 1.32 | _ | _ |

CHARGING INSTRUCTIONS

| CHARGER VOLTAGE SETTINGS (AT 77°F/25°C) | | | | | |
|---|------------------------|-------|-------|-------|-------|
| SYSTEM VOLTAGE | 6V 12V 24V 36V 48V | | | 48V | |
| Maximum Charge Current (A) | 13% of C ₂₀ | | | | |
| Absorption Voltage (2.40 V/cell) | 7.20 | 14.40 | 28.80 | 43.20 | 57.60 |
| Float Voltage (2.25 V/cell) | 6.75 | 13.50 | 27.00 | 40.50 | 54.00 |

Do not install or charge batteries in a sealed or non-ventilated compartment. Constant under or overcharging will damage the battery and shorten its life as with any battery.

CHARGING TEMPERATURE COMPENSATION

state of charge greater than 60%.

| ADD | SUBTRACT | | | | |
|---|---|--|--|--|--|
| 0.005 volt per cell for every 1°C below 25°C 0.0028 volt per cell for every 1°F below 77°F | 0.005 volt per cell for every 1°C above 25°C 0.0028 volt per cell for every 1°F above 77°F | | | | |
| OPERATIONAL DATA | | | | | |
| OPERATING TEMPERATURE | SELF DISCHARGE | | | | |
| -4°F to 113°F (-20°C to +45°C). At temperatures below 32°F (0°C) maintain a | Less than 3% per month depending | | | | |

RECYCLE RESPONSIBLY




STATE OF CHARGE MEASURE OF OPEN-CIRCUIT VOLTAGE


on storage temperature conditions


| PERCENTAGE CHARGE | CELL | 6 VOLT |
|-------------------|------|--------|
| 100 | 2.14 | 6.42 |
| 75 | 2.11 | 6.33 |
| 50 | 2.06 | 6.18 |
| 25 | 2.00 | 6.00 |
| 0 | 1.97 | 5.91 |


TROJAN TE35-GEL PERFORMANCE 1000 **Estimation Purposes Only** Discharge Current (amps) 01 01 10000 100000 10 100 1000 Time (mins)



BATTERY DIMENSIONS (shown with AP)







TERMINAL CONFIGURATIONS^E



The number of minutes a battery can deliver when discharged at a constant rate at 80°F (27°C) and maintain a voltage above 1.75 V/cell. A. Capacities are based on peak performance.

- Capacities are based on peak performance. The amount of amp-hours (Ah) a battery can deliver when discharged at a constant rate at 80°F (27°C) and maintain a voltage above 1.75 V/cell. Capacities are based on peak performance. Dimensions are based on nominal size. Dimensions may vary depending on type of handle or terminal. Batteries to be mounted with .5 inches B.
- C. (12.7 mm) spacing minimum.



Designed in compliance with applicable BCI, DIN, BS and IEC standards. Tested in compliance to BCI and IEC standards.

- D. Dimensions taken from bottom of the battery to the highest point on the battery. Heights may vary depending on type of terminal.
- E. F Terminal images are representative only. Weight may vary.



800.423.6569 / +1.562.236.3000 / trojanbattery.com

TE35V-Gel_DS_072619

© 2019 Trojan Battery Company, LLC. All rights reserved. Trojan Battery Company is not liable for damages that may result from any information provided in or omitted from this publication, under any circumstances. Trojan Battery Company reserves the right to make adjustments to this publication at any time, without notice or obligation.